

21/01/09

SDEV – FICA 70 R0

designation	Lighting Mod/Var Receiver RTS
references	9014281
range	Receiver

**FUNCTIONS**

Create the right atmosphere thanks to light modulation



Function:

- Modulation of light from 0% up to 100%
- Set a favourite position


## COMPATIBILITIES AT THE 21/01/09

- Centralis RTS (inteo version)
- Telis 1 RTS (inteo version)
- Telis 4 RTS (inteo version)
- Telis Soliris RTS (inteo version)
- Telis Soliris Lighting RTS (inteo version)
- Chronis RTS (inteo version)
- Chronis L RTS (inteo version)
- Chronis Smart RTS (inteo version)
- Chronis Easy RTS (inteo version)
- Chronis Comfort RTS (inteo version)
- Wall Switch RTS
- Situo RTS (Lounge version)
- Telis 1 RTS (Lounge version)
- Telis 4 RTS (Lounge version)
- Telis Soliris RTS (Lounge version)
- Telis 4 Soliris RTS (Lounge version)
- Telis Composio RTS
- Impresario Chronis RTS
- Telis 4 Mod/Var RTS
- Telis Soliris Mod/Var RTS


## TECHNICAL SPECIFICATIONS

Power supply	Voltage	230 V
	Frequency	50 Hz
Light power	Mini	60W with electronic transformer
	Mini	40W without transformer
	Maxi	300W
Weight		92g
IP level		IP 54
Radio characteristics (RTS Protocol):	Frequency	433.42 MHz
	Range in free field	200m
Electro Magnetic compatibility &Standard	In accordance with CE declaration in internet Website <a href="http://www.somfy.com/ce">www.somfy.com/ce</a>	
Temperature range	Storing	-20° to +80°C
	Working	-20° to +60°C
Memory capacity		12 remotes control
Antenna		External


**DESCRIPTION / DIMENSION**



**Cabling without transformer**



**Cabling with transformer**



<b>R&amp;D</b> Name: Date:	E. GRUZ	<b>QUALITY</b> Name: Date:	D. MEYNET	<b>EDITOR</b> Name: Date:	E. GUILLEMOT
----------------------------------	---------	----------------------------------	-----------	---------------------------------	--------------